ELSEVIER

Analytica Chimica Acta 515 (2004) 353–355

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

# Author Index

Alexandre Franco, M.F., see Galeano Diaz, T. 231
Abraham, M.H., see Torres-Lapasió, J.R. 209
Antonelli, A.
—, Cocchi, M., Fava, P., Foca, G., Franchini, G.C., Manzini, D. and Ulrici, A.
Automated evaluation of food colour by means of multivariate image analysis coupled to a wavelet-based classification algorithm 3

Baeza-Baeza, J.J.
— and Ramis-Ramos, G.
Analysis of the sensitivity to the systematic error in least-squares regression models 15
Balestrieri, F., see Marini, F. 117
Bendahan, M., see Lauque, P. 279
Billon, M., see Dupont-Filliard, A. 271
Billová, S., see Šedo, O. 261
Booksh, K.S., see Gentleman, D.J. 291
Boqué, R., see Guimet, F. 75
Bosch, E., see Torres-Lapasió, J.R. 209
Buydens, L., see Todeschini, R. 1
Büyükkasap, E., see Turgut, Ü. 349

Callao, M.P., see Pasamontes, A. 159
Casais, M.C., see Martínez-Pontevedra, J.A. 127
Casale, M., see Forina, M. 43
Casolino, C., see Forina, M. 43
Cela, R., see Martínez-Pontevedra, J.A. 127
Cocchi, M., see Antonelli, A. 3
Comas, E.
—, Ferré, J. and Xavier Rius, F.
Graphical criterion for assessing trilinearity and selecting the optimal number of factors in the generalized rank annihilation method using liquid chromatography–diode array detection data 23
Concepción Cerrato Oliveros, M., see Forina, M. 43
Consonni, V., see Todeschini, R. 199
Cruz Ortiz, M., see García, I. 55

de la Torre, R., see Jiménez, C. 323
Duponchel, L., see Ruckebusch, C. 183
Dupont-Filliard, A.
—, Billon, M., Livache, T. and Guillerez, S.
Biotin/avidin system for the generation of fully renewable DNA sensor based on biotinylated polypyrrole film 271

El-Shahawi, M.S., see Othman, A.M. 303
Ertuğrul, M., see Turgut, Ü. 349
Esteban-Díez, I.
—, González-Sáiz, J.-M. and Pizarro, C.
OWAVEC: a combination of wavelet analysis and an orthogonalization algorithm as a pre-processing step in multivariate calibration 31

Fabretti, F., see Marini, F. 117
Fava, P., see Antonelli, A. 3
Ferré, J., see Comas, E. 23
Ferré, J., see Guimet, F. 75
Foca, G., see Antonelli, A. 3
Forina, M.
—, Concepción Cerrato Oliveros, M., Casolino, C. and Casale, M.
Minimum spanning tree: ordering edges to identify clustering structure 43
Franchini, G.C., see Antonelli, A. 3
Fukushima, T., see Min, J.Z. 243

Galindo-Riaño, M.D., see Mendiguchía, C. 143
García, I.
—, Sarabia, L., Cruz Ortiz, M. and Manuel Aldama, J.
Three-way models and detection capability of a gas chromatography–mass spectrometry method for the determination of clenbuterol in several biological matrices: the 2002/657/EC European Decision 55
García-Alvarez-Coque, M.C., see Torres-Lapasió, J.R. 209
García-Vargas, M., see Mendiguchía, C. 143
Garrido, M.
—, Lázaro, I., Larrechi, M.S. and Rius, F.X.
Multivariate resolution of rank-deficient near-infrared spectroscopy data from the reaction of curing epoxy resins using the rank augmentation strategy and multivariate curve resolution alternating least squares approach 65
Gentleman, D.J.
—, Obando, L.A., Masson, J.-F., Holloway, J.R. and Booksh, K.S.
Calibration of fiber optic based surface plasmon resonance sensors in aqueous systems 291
González-Sáiz, J.-M., see Esteban-Díez, I. 31
Goupy, J., see Saint-Denis, T. 191
Guillerez, S., see Dupont-Filliard, A. 271
Guimet, F.
—, Ferré, J., Boqué, R. and Xavier Rius, F.
Application of unfold principal component analysis and parallel factor analysis to the exploratory analysis of olive oils by means of excitation–emission matrix fluorescence spectroscopy 75

Havel, J., see Šedo, O. 261
Holloway, J.R., see Gentleman, D.J. 291
Hubert, M., see Vanden Branden, K. 229
Huvenne, J.P., see Ruckebusch, C. 183

Jiang, Y.-B., see Sun, X.-Y. 285
Jiménez, C.
—, Ventura, R., Segura, J. and de la Torre, R.
Protocols for stability and homogeneity studies of drugs for its application to doping control 323
Jurado-López, A., see Ortiz, M.C. 151

Kato, M., see Min, J.Z. 243
Knauth, P., see Lauque, P. 279

Larrechi, M.S., see Garrido, M. 65

doi:10.1016/S0003-2670(04)00741-X

Lauque, P.
—, Bendahan, M., Seguin, J.-L., Ngo, K.A. and Knauth, P.
Highly sensitive and selective room temperature $NH_3$ gas microsensor using an ionic conductor (CuBr) film 279
Lázaro, I., see Garrido, M. 65
Li, X.
—, Ma, H., Nie, L., Sun, M. and Xiong, S.
A novel fluorescent probe for selective labeling of histidine 255
Liu, B., see Sun, X.-Y. 285
Livache, T., see Dupont-Filliard, A. 271
Lletí, R.
—, Ortiz, M.C., Sarabia, L.A. and Sánchez, M.S.
Selecting variables for *k*-means cluster analysis by using a genetic algorithm that optimises the silhouettes 87
Lopes, J.A.
— and Menezes, J.C.
Multivariate monitoring of fermentation processes with non-linear modelling methods 101
López-Cueto, G.
—, Ostra, M., Ubide, C. and Zuriarrain, J.
Fenton's reagent for kinetic determinations 109
Luque de Castro, M.D., see Morales-Muñoz, S. 343
Luque de Castro, M.D., see Ortiz, M.C. 151
Luque-García, J.L., see Morales-Muñoz, S. 343

Ma, H., see Li, X. 255
Magrì, A.L., see Marini, F. 117
Manohar, S.B., see Scindia, Y.M. 311
Manuel Aldama, J., see García, I. 55
Manzini, D., see Antonelli, A. 3
Marini, D., see Marini, F. 117
Marini, F.
—, Magrì, A.L., Balestrieri, F., Fabretti, F. and Marini, D.
Supervised pattern recognition applied to the discrimination of the floral origin of six types of Italian honey samples 117
Martínez-Pontevedra, J.A.
—, Pensado, L., Casais, M.C. and Cela, R.
Automated off-line optimisation of programmed elutions in reversed-phase high-performance liquid chromatography using ternary solvent mixtures 127
Masson, J.-F., see Gentleman, D.J. 291
Mauri, A., see Todeschini, R. 199
Mendiguchía, C.
—, Moreno, C., Galindo-Riaño, M.D. and García-Vargas, M.
Using chemometric tools to assess anthropogenic effects in river water. A case study: Guadalquivir River (Spain) 143
Menezes, J.C., see Lopes, J.A. 101
Min, J.Z.
—, Toyo'oka, T., Fukushima, T. and Kato, M.
Synthesis and evaluation of new fluorescent derivatization reagents for resolution of chiral amines by RP-HPLC 243
Morales-Muñoz, S.
—, Luque-García, J.L. and Luque de Castro, M.D.
A continuous approach for the determination of Cr(VI) in sediment and soil based on the coupling of microwave-assisted water extraction, preconcentration, derivatization and photometric detection 343
Moreno, C., see Mendiguchía, C. 143

Ngo, K.A., see Lauque, P. 279
Nie, L., see Li, X. 255

Obando, L.A., see Gentleman, D.J. 291
Ortiz, M.C.
—, Sarabia, L., Jurado-López, A. and Luque de Castro, M.D.
Minimum value assured by a method to determine gold in alloys by using laser-induced breakdown spectroscopy and partial least-squares calibration model 151
Ortiz, M.C., see Lletí, R. 87
Ostra, M., see López-Cueto, G. 109
Othman, A.M.
—, Rizk, N.M.H. and El-Shahawi, M.S.
Polymer membrane sensors for sildenafil citrate (Viagra) determination in pharmaceutical preparations 303

Paleček, E., see Šedo, O. 261
Pandey, A.K., see Scindia, Y.M. 311
Pasamontes, A.
— and Callao, M.P.
Determination of amoxicillin in pharmaceuticals using sequential injection analysis and multivariate curve resolution 159
Pavan, M.
— and Todeschini, R.
New indices for analysing partial ranking diagrams 167
Pavan, M., see Todeschini, R. 199
Peña-Méndez, E.M., see Šedo, O. 261
Pensado, L., see Martínez-Pontevedra, J.A. 127
Pizarro, C., see Esteban-Díez, I. 31

Ramis-Ramos, G., see Baeza-Baeza, J.J. 15
Reddy, A.V.R., see Scindia, Y.M. 311
Rius, F.X., see Garrido, M. 65
Rizk, N.M.H., see Othman, A.M. 303
Rosés, M., see Torres-Lapasió, J.R. 209
Ruckebusch, C.
—, Duponchel, L., Huvenne, J.P. and Saurina, J.
Matrix merging arrangements for the study protein dynamics by time-resolved step-scan Fourier transform infrared spectroscopy and multivariate curve resolution 183

Saint-Denis, T.
— and Goupy, J.
Optimization of a nitrogen analyser based on the Dumas method 191
Salem, H.
Selective spectrophotometric determination of phenolic β-lactam antibiotics in pure forms and in their pharmaceutical formulations 333
Sánchez, M.S., see Lletí, R. 87
Sarabia, L., see García, I. 55
Sarabia, L., see Ortiz, M.C. 151
Sarabia, L.A., see Lletí, R. 87
Saurina, J., see Ruckebusch, C. 183
Scindia, Y.M.
—, Pandey, A.K., Reddy, A.V.R. and Manohar, S.B.
Chemically selective membrane optode for Cr(VI) determination in aqueous samples 311
Šedo, O.
—, Billová, S., Peña-Méndez, E.M., Paleček, E. and Havel, J.
Derivatisation of peptides with osmium tetroxide, 2,2′-bipyridine: capillary electrophoretic and MALDI–TOF mass spectrometric study 261
Seguin, J.-L., see Lauque, P. 279
Segura, J., see Jiménez, C. 323
Şimşek, Ö., see Turgut, Ü. 349
Sun, M., see Li, X. 255
Sun, X.-Y.
—, Liu, B. and Jiang, Y.-B.
An extremely sensitive monoboronic acid based fluorescent sensor for glucose 285

Todeschini, R.
— and Buydens, L.
Editorial of the "V Colloquium Chemiometricum Mediteraneum" 1
Todeschini, R.
—, Consonni, V., Mauri, A. and Pavan, M.
Detecting "bad" regression models: multicriteria fitness functions in regression analysis 199

Todeschini, R., see Pavan, M. 167
Torres-Lapasió, J.R.
—, García-Alvarez-Coque, M.C., Rosés, M., Bosch, E., Zissimos, A.M. and Abraham, M.H.
Analysis of a solute polarity parameter in reversed-phase liquid chromatography on a linear solvation relationship basis 209
Toyo'oka, T., see Min, J.Z. 243
Turgut, Ü.
—, Şimşek, Ö., Büyükkasap, E. and Ertuğrul, M.
X-ray attenuation coefficient measurements for photon energies 4.508–13.375 keV in Cu, Cr and their compounds and the validity of the mixture rule 349

Ubide, C., see López-Cueto, G. 109
Ulrici, A., see Antonelli, A. 3

Vanden Branden, K.
— and Hubert, M.
Robustness properties of a robust partial least squares regression method 229
Ventura, R., see Jiménez, C. 323

Xavier Rius, F., see Comas, E. 23
Xavier Rius, F., see Guimet, F. 75
Xiong, S., see Li, X. 255

Zissimos, A.M., see Torres-Lapasió, J.R. 209
Zuriarrain, J., see López-Cueto, G. 109